

PLATINUM TOOLS®

HPH J-Hooks

HIGH PERFORMANCE HYBRID

2022
Product Catalog



PATENTED

**PLENUM
RATED**

TIA®
Compliant

RoHS
compliant
Eco-Friendly

cUL[®] US
LISTED

800-749-5783

www.platinumtools.com

info@platinumtools.com

nsi

What is the HPH?

HIGH PERFORMANCE HYBRID

The HPH is named for its composition and design



1. The metal component provides a strong backbone.

2. The plastic component provides a two inch wide-base support with a slick and burr free surface.

3. The combined J-Hook is UL listed, RoHS compliant, TIA compliant & is suitable for installation in plenum and air handling spaces.

OPTIMUM BEND RADIUS

Item No.	Size	Radius
HPH16-25	1"	3.8560"
HPH32-25	2"	3.3495"
HPH48-25	3"	3.5792"
HPH64-25	4"	3.5100"



NOTE: A MITUTOYO CONTOUR TRACER CV-524 WAS USED TO TRACE THE ACTUAL CROSS-SECTION CONTOUR OF THE J-HOOKS. BEND RADIUS WAS FIT TO THE RAW DATA TO SIMULATE THE CONTACT OF THE CABLES IN THE J-HOOK.

HPH CABLE CAPACITY



100 % FILL RATE CABLE CAPACITY CHART					
Part No.	Area	Hook Diameter	CAT 5e Capacity	CAT 6 Capacity	Cat 6a Capacity
HPH16-25	1.07 in ²	1"	29	22	14
HPH32-25	3.97 in ²	2"	129	86	50
HPH48-25	9.26 in ²	3"	286	215	115
HPH64-25	15.48 in ²	4"	472	315	200

Cable capacity is calculated based on a 100% fill rate.

Actual capacity may vary due to CAT cable outside diameter variances by type and manufacturer.

Consult with the cable manufacturer to insure the correct cable outside diameter is being used during calculations.

HPH J-Hook

Wall mount

- HPH J-Hooks are specially designed to provide optimum support for high speed data cable, such as: Cat 5e, Cat 6, Cat 6A, Cat 7 and fiber optic.
- Built-in snap-lock latch.
- Wide base 2" plastic saddle provides the optimum bend radius support for high speed data cables.
- Flush mount design, allows the hook to sit flush against the wall.
- Available in 1", 2", 3" & 4".
- Available in multiple colors including: White, Blue, Red & Black.
- Complies with ANSI®/TIA 568 and ANSI®/TIA 569.
- cULus listed, RoHS compliant, plenum rated.

Snap-lock latch



Item No.	Size	Description	Color	Box QTY
HPH16-25	1"	Metal/plastic composite HPH J-Hook with snap-lock latch	White	25pcs
HPH16-25R	1"	Metal/plastic composite HPH J-Hook with snap-lock latch	Red	25pcs
HPH16-25BL	1"	Metal/plastic composite HPH J-Hook with snap-lock latch	Blue	25pcs
HPH16-25BK	1"	Metal/plastic composite HPH J-Hook with snap-lock latch	Black	25pcs
HPH32-25	2"	Metal/plastic composite HPH J-Hook with snap-lock latch	White	25pcs
HPH32-25R	2"	Metal/plastic composite HPH J-Hook with snap-lock latch	Red	25pcs
HPH32-25BL	2"	Metal/plastic composite HPH J-Hook with snap-lock latch	Blue	25pcs
HPH32-25BK	2"	Metal/plastic composite HPH J-Hook with snap-lock latch	Black	25pcs
HPH48-25	3"	Metal/plastic composite HPH J-Hook with snap-lock latch	White	25pcs
HPH48-25R	3"	Metal/plastic composite HPH J-Hook with snap-lock latch	Red	25pcs
HPH48-25BL	3"	Metal/plastic composite HPH J-Hook with snap-lock latch	Blue	25pcs
HPH48-25BK	3"	Metal/plastic composite HPH J-Hook with snap-lock latch	Black	25pcs
HPH64-25	4"	Metal/plastic composite HPH J-Hook with snap-lock latch	White	25pcs
HPH64-25R	4"	Metal/plastic composite HPH J-Hook with snap-lock latch	Red	25pcs
HPH64-25BL	4"	Metal/plastic composite HPH J-Hook with snap-lock latch	Blue	25pcs
HPH64-25BK	4"	Metal/plastic composite HPH J-Hook with snap-lock latch	Black	25pcs



HPH Color Options:



90° Angle clip with 1/4" hole

- Easily attaches to 1/4" threaded rod or directly to ceiling with fastener.
- HPH J-Hooks are specially designed to provide optimum support for high speed data cable, such as: Cat 5e, Cat 6, Cat 6A, Cat 7 and fiber optic.
- Built-in snap-lock latch.
- Wide base 2" plastic saddle provides the optimum bend radius support for high speed data cables.
- Available in 1", 2", 3" & 4".
- Available colors: White, Blue, Red & Black.
- Complies with ANSI®/TIA 568 and ANSI®/TIA 569.
- cULus listed, RoHS & REACH compliant, plenum rated.



Item No.	Size	Description	Hole Size	Color	Box QTY
HPH16AC-25	1"	HPH J-Hook assembled to 90° angle clip	1/4"	White	25pcs
HPH16AC-25R	1"	HPH J-Hook assembled to 90° angle clip	1/4"	Red	25pcs
HPH16AC-25BL	1"	HPH J-Hook assembled to 90° angle clip	1/4"	Blue	25pcs
HPH16AC-25BK	1"	HPH J-Hook assembled to 90° angle clip	1/4"	Black	25pcs
HPH32AC-25	2"	HPH J-Hook assembled to 90° angle clip	1/4"	White	25pcs
HPH32AC-25R	2"	HPH J-Hook assembled to 90° angle clip	1/4"	Red	25pcs
HPH32AC-25BL	2"	HPH J-Hook assembled to 90° angle clip	1/4"	Blue	25pcs
HPH32AC-25BK	2"	HPH J-Hook assembled to 90° angle clip	1/4"	Black	25pcs
HPH48AC-25	3"	HPH J-Hook assembled to 90° angle clip	1/4"	White	25pcs
HPH48AC-25R	3"	HPH J-Hook assembled to 90° angle clip	1/4"	Red	25pcs
HPH48AC-25BL	3"	HPH J-Hook assembled to 90° angle clip	1/4"	Blue	25pcs
HPH48AC-25BK	3"	HPH J-Hook assembled to 90° angle clip	1/4"	Black	25pcs
HPH64AC-25	4"	HPH J-Hook assembled to 90° angle clip	1/4"	White	25pcs
HPH64AC-25R	4"	HPH J-Hook assembled to 90° angle clip	1/4"	Red	25pcs
HPH64AC-25BL	4"	HPH J-Hook assembled to 90° angle clip	1/4"	Blue	25pcs
HPH64AC-25BK	4"	HPH J-Hook assembled to 90° angle clip	1/4"	Black	25pcs



HPH Color Options:



90° Angle clip with 3/8" hole

- Easily attaches to 3/8" threaded rod or directly to ceiling with fastener.
- HPH J-Hooks are specially designed to provide optimum support for high speed data cable, such as: Cat 5e, Cat 6, Cat 6A, Cat 7 and fiber optic.
- Built-in snap-lock latch.
- Wide base 2" plastic saddle provides the optimum bend radius support for high speed data cables.
- Available in 1", 2", 3" & 4".
- Available colors: White, Blue, Red & Black.
- Complies with ANSI®/TIA 568 and ANSI®/TIA 569.
- cULus listed, RoHS & REACH compliant, plenum rated.



Item No.	Size	Description	Hole Size	Color	Box QTY
HPH16AC6-25	1"	HPH J-Hook assembled to 12 gauge 90° angle clip	3/8"	White	25pcs
HPH16AC6-25R	1"	HPH J-Hook assembled to 12 gauge 90° angle clip	3/8"	Red	25pcs
HPH16AC6-25BL	1"	HPH J-Hook assembled to 12 gauge 90° angle clip	3/8"	Blue	25pcs
HPH16AC6-25BK	1"	HPH J-Hook assembled to 12 gauge 90° angle clip	3/8"	Black	25pcs
HPH32AC6-25	2"	HPH J-Hook assembled to 12 gauge 90° angle clip	3/8"	White	25pcs
HPH32AC6-25R	2"	HPH J-Hook assembled to 12 gauge 90° angle clip	3/8"	Red	25pcs
HPH32AC6-25BL	2"	HPH J-Hook assembled to 12 gauge 90° angle clip	3/8"	Blue	25pcs
HPH32AC6-25BK	2"	HPH J-Hook assembled to 12 gauge 90° angle clip	3/8"	Black	25pcs
HPH48AC6-25	3"	HPH J-Hook assembled to 12 gauge 90° angle clip	3/8"	White	25pcs
HPH48AC6-25R	3"	HPH J-Hook assembled to 12 gauge 90° angle clip	3/8"	Red	25pcs
HPH48AC6-25BL	3"	HPH J-Hook assembled to 12 gauge 90° angle clip	3/8"	Blue	25pcs
HPH48AC6-25BK	3"	HPH J-Hook assembled to 12 gauge 90° angle clip	3/8"	Black	25pcs
HPH64AC6-25	4"	HPH J-Hook assembled to 12 gauge 90° angle clip	3/8"	White	25pcs
HPH64AC6-25R	4"	HPH J-Hook assembled to 12 gauge 90° angle clip	3/8"	Red	25pcs
HPH64AC6-25BL	4"	HPH J-Hook assembled to 12 gauge 90° angle clip	3/8"	Blue	25pcs
HPH64AC6-25BK	4"	HPH J-Hook assembled to 12 gauge 90° angle clip	3/8"	Black	25pcs



HPH Color Options:



90° Angle Clip w/ 1-1/16" x 0.157" dia. pin for concrete


- Easily installs into concrete substrates with use of powder actuated tool.
- HPH J-Hooks are specially designed to provide optimum support for high speed data cable, such as: Cat 5e, Cat 6, Cat 6A, Cat 7 and fiber optic.
- Built-in snap-lock latch.
- Wide base 2" plastic saddle provides the optimum bend radius support for high speed data cables.
- Available in 1", 2", 3" & 4".
- Available colors: White, Blue, Red & Black.
- Complies with ANSI®/TIA 568 and ANSI®/TIA 569.
- cULus listed, RoHS compliant, plenum rated.



Item No.	Size	Description	Color	Box QTY
HPH16ACPA-25	1"	HPH J-Hook assembled to JH932-100 angle clip with 1-1/16" pin	White	25pcs
HPH16ACPA-25R	1"	HPH J-Hook assembled to JH932-100 angle clip with 1-1/16" pin	Red	25pcs
HPH16ACPA-25BL	1"	HPH J-Hook assembled to JH932-100 angle clip with 1-1/16" pin	Blue	25pcs
HPH16ACPA-25BK	1"	HPH J-Hook assembled to JH932-100 angle clip with 1-1/16" pin	Black	25pcs
HPH32ACPA-25	2"	HPH J-Hook assembled to JH932-100 angle clip with 1-1/16" pin	White	25pcs
HPH32ACPA-25R	2"	HPH J-Hook assembled to JH932-100 angle clip with 1-1/16" pin	Red	25pcs
HPH32ACPA-25BL	2"	HPH J-Hook assembled to JH932-100 angle clip with 1-1/16" pin	Blue	25pcs
HPH32ACPA-25BK	2"	HPH J-Hook assembled to JH932-100 angle clip with 1-1/16" pin	Black	25pcs
HPH48ACPA-25	3"	HPH J-Hook assembled to JH932-100 angle clip with 1-1/16" pin	White	25pcs
HPH48ACPA-25R	3"	HPH J-Hook assembled to JH932-100 angle clip with 1-1/16" pin	Red	25pcs
HPH48ACPA-25BL	3"	HPH J-Hook assembled to JH932-100 angle clip with 1-1/16" pin	Blue	25pcs
HPH48ACPA-25BK	3"	HPH J-Hook assembled to JH932-100 angle clip with 1-1/16" pin	Black	25pcs
HPH64ACPA-25	4"	HPH J-Hook assembled to JH932-100 angle clip with 1-1/16" pin	White	25pcs
HPH64ACPA-25R	4"	HPH J-Hook assembled to JH932-100 angle clip with 1-1/16" pin	Red	25pcs
HPH64ACPA-25BL	4"	HPH J-Hook assembled to JH932-100 angle clip with 1-1/16" pin	Blue	25pcs
HPH64ACPA-25BK	4"	HPH J-Hook assembled to JH932-100 angle clip with 1-1/16" pin	Black	25pcs



HPH Color Options:



Batwing clip for threaded rod or ceiling wire

- Easily attaches to 1/4" threaded rod or 8-12 gauge drop ceiling wire.
- HPH J-Hooks are specially designed to provide optimum support for high speed data cable, such as: Cat 5e, Cat 6, Cat 6A, Cat 7 and fiber optic.
- Built-in snap-lock latch.
- Wide base 2" plastic saddle provides the optimum bend radius support for high speed data cables.
- Available in 1", 2", 3" & 4".
- Available colors: White, Blue, Red & Black.
- Complies with ANSI®/TIA 568 and ANSI®/TIA 569.
- cULus listed, plenum rated.



Item No.	Size	Description	Color	Box QTY
HPH16W-25	1"	HPH J-Hook assembled to JH960-100 batwing clip	White	25pcs
HPH16W-25R	1"	HPH J-Hook assembled to JH960-100 batwing clip	Red	25pcs
HPH16W-25BL	1"	HPH J-Hook assembled to JH960-100 batwing clip	Blue	25pcs
HPH16W-25BK	1"	HPH J-Hook assembled to JH960-100 batwing clip	Black	25pcs
HPH32W-25	2"	HPH J-Hook assembled to JH960-100 batwing clip	White	25pcs
HPH32W-25R	2"	HPH J-Hook assembled to JH960-100 batwing clip	Red	25pcs
HPH32W-25BL	2"	HPH J-Hook assembled to JH960-100 batwing clip	Blue	25pcs
HPH32W-25BK	2"	HPH J-Hook assembled to JH960-100 batwing clip	Black	25pcs
HPH48W-25	3"	HPH J-Hook assembled to JH960-100 batwing clip	White	25pcs
HPH48W-25R	3"	HPH J-Hook assembled to JH960-100 batwing clip	Red	25pcs
HPH48W-25BL	3"	HPH J-Hook assembled to JH960-100 batwing clip	Blue	25pcs
HPH48W-25BK	3"	HPH J-Hook assembled to JH960-100 batwing clip	Black	25pcs
HPH64W-25	4"	HPH J-Hook assembled to JH960-100 batwing clip	White	25pcs
HPH64W-25R	4"	HPH J-Hook assembled to JH960-100 batwing clip	Red	25pcs
HPH64W-25BL	4"	HPH J-Hook assembled to JH960-100 batwing clip	Blue	25pcs
HPH64W-25BK	4"	HPH J-Hook assembled to JH960-100 batwing clip	Black	25pcs



HPH Color Options:



Hammer-on beam clamp for flanges 1/8" - 1/4" thick


- Easily hammers onto flanges 1/8" - 1/4" thick.
- HPH J-Hooks are specially designed to provide optimum support for high speed data cable, such as: Cat 5e, Cat 6, Cat 6A, Cat 7 and fiber optic.
- Built-in snap-lock latch.
- Wide base 2" plastic saddle provides the optimum bend radius support for high speed data cables.
- Available in 1", 2", 3" & 4".
- Available colors: White, Blue, Red & Black.
- Complies with ANSI®/TIA 568 and ANSI®/TIA 569.
- cULus listed, RoHS & REACH compliant, plenum rated.



Item No.	Size	Description	Color	Box QTY
HPH16HOK24-25	1"	HPH J-Hook assembled to JH910-100	White	25pcs
HPH16HOK24-25R	1"	HPH J-Hook assembled to JH910-100	Red	25pcs
HPH16HOK24-25BL	1"	HPH J-Hook assembled to JH910-100	Blue	25pcs
HPH16HOK24-25BK	1"	HPH J-Hook assembled to JH910-100	Black	25pcs
HPH32HOK24-25	2"	HPH J-Hook assembled to JH910-100	White	25pcs
HPH32HOK24-25R	2"	HPH J-Hook assembled to JH910-100	Red	25pcs
HPH32HOK24-25BL	2"	HPH J-Hook assembled to JH910-100	Blue	25pcs
HPH32HOK24-25BK	2"	HPH J-Hook assembled to JH910-100	Black	25pcs
HPH48HOK24-25	3"	HPH J-Hook assembled to JH910-100	White	25pcs
HPH48HOK24-25R	3"	HPH J-Hook assembled to JH910-100	Red	25pcs
HPH48HOK24-25BL	3"	HPH J-Hook assembled to JH910-100	Blue	25pcs
HPH48HOK24-25BK	3"	HPH J-Hook assembled to JH910-100	Black	25pcs
HPH64HOK24-25	4"	HPH J-Hook assembled to JH910-100	White	25pcs
HPH64HOK24-25R	4"	HPH J-Hook assembled to JH910-100	Red	25pcs
HPH64HOK24-25BL	4"	HPH J-Hook assembled to JH910-100	Blue	25pcs
HPH64HOK24-25BK	4"	HPH J-Hook assembled to JH910-100	Black	25pcs



HPH Color Options:



Hammer-on beam clamp for flanges 5/16" - 1/2" thick

- Easily hammers onto flanges 5/16" - 1/2" thick.
- HPH J-Hooks are specially designed to provide optimum support for high speed data cable, such as: Cat 5e, Cat 6, Cat 6A, Cat 7 and fiber optic.
- Built-in snap-lock latch.
- Wide base 2" plastic saddle provides the optimum bend radius support for high speed data cables.
- Available in 1", 2", 3" & 4".
- Available colors: White, Blue, Red & Black.
- Complies with ANSI®/TIA 568 and ANSI®/TIA 569.
- cULus listed, RoHS & REACH compliant, plenum rated.



Item No.	Size	Description	Color	Box QTY
HPH16HOK58-25	1"	HPH J-Hook assembled to JH911-100	White	25pcs
HPH16HOK58-25R	1"	HPH J-Hook assembled to JH911-100	Red	25pcs
HPH16HOK58-25BL	1"	HPH J-Hook assembled to JH911-100	Blue	25pcs
HPH16HOK58-25BK	1"	HPH J-Hook assembled to JH911-100	Black	25pcs
HPH32HOK58-25	2"	HPH J-Hook assembled to JH911-100	White	25pcs
HPH32HOK58-25R	2"	HPH J-Hook assembled to JH911-100	Red	25pcs
HPH32HOK58-25BL	2"	HPH J-Hook assembled to JH911-100	Blue	25pcs
HPH32HOK58-25BK	2"	HPH J-Hook assembled to JH911-100	Black	25pcs
HPH48HOK58-25	3"	HPH J-Hook assembled to JH911-100	White	25pcs
HPH48HOK58-25R	3"	HPH J-Hook assembled to JH911-100	Red	25pcs
HPH48HOK58-25BL	3"	HPH J-Hook assembled to JH911-100	Blue	25pcs
HPH48HOK58-25BK	3"	HPH J-Hook assembled to JH911-100	Black	25pcs
HPH64HOK58-25	4"	HPH J-Hook assembled to JH911-100	White	25pcs
HPH64HOK58-25R	4"	HPH J-Hook assembled to JH911-100	Red	25pcs
HPH64HOK58-25BL	4"	HPH J-Hook assembled to JH911-100	Blue	25pcs
HPH64HOK58-25BK	4"	HPH J-Hook assembled to JH911-100	Black	25pcs



HPH Color Options:



Hammer-on beam clamp for flanges 1/8" - 1/4" thick

- Easily hammers onto flanges 1/8" - 1/4" thick.
- HPH J-Hooks are specially designed to provide optimum support for high speed data cable, such as: Cat 5e, Cat 6, Cat 6A, Cat 7 and fiber optic.
- Built-in snap-lock latch.
- Wide base 2" plastic saddle provides the optimum bend radius support for high speed data cables.
- Available in 1", 2", 3" & 4".
- Available colors: White, Blue, Red & Black.
- Complies with ANSI®/TIA 568 and ANSI®/TIA 569.
- cULus listed, RoHS & REACH compliant, plenum rated.



Item No.	Size	Description	Color	Box QTY
HPH16ACFM24-25	1"	HPH J-hook with 90° angle clip assembled to JH915-100	White	25pcs
HPH16ACFM24-25R	1"	HPH J-hook with 90° angle clip assembled to JH915-100	Red	25pcs
HPH16ACFM24-25BL	1"	HPH J-hook with 90° angle clip assembled to JH915-100	Blue	25pcs
HPH16ACFM24-25BK	1"	HPH J-hook with 90° angle clip assembled to JH915-100	Black	25pcs
HPH32ACFM24-25	2"	HPH J-hook with 90° angle clip assembled to JH915-100	White	25pcs
HPH32ACFM24-25R	2"	HPH J-hook with 90° angle clip assembled to JH915-100	Red	25pcs
HPH32ACFM24-25BL	2"	HPH J-hook with 90° angle clip assembled to JH915-100	Blue	25pcs
HPH32ACFM24-25BK	2"	HPH J-hook with 90° angle clip assembled to JH915-100	Black	25pcs
HPH48ACFM24-25	3"	HPH J-hook with 90° angle clip assembled to JH915-100	White	25pcs
HPH48ACFM24-25R	3"	HPH J-hook with 90° angle clip assembled to JH915-100	Red	25pcs
HPH48ACFM24-25BL	3"	HPH J-hook with 90° angle clip assembled to JH915-100	Blue	25pcs
HPH48ACFM24-25BK	3"	HPH J-hook with 90° angle clip assembled to JH915-100	Black	25pcs
HPH64ACFM24-25	4"	HPH J-hook with 90° angle clip assembled to JH915-100	White	25pcs
HPH64ACFM24-25R	4"	HPH J-hook with 90° angle clip assembled to JH915-100	Red	25pcs
HPH64ACFM24-25BL	4"	HPH J-hook with 90° angle clip assembled to JH915-100	Blue	25pcs
HPH64ACFM24-25BK	4"	HPH J-hook with 90° angle clip assembled to JH915-100	Black	25pcs

HPH Color Options:



Hammer-on beam clamp for flanges 5/16" - 1/2" thick

- Easily hammers onto flanges 5/16" - 1/2" thick.
- HPH J-Hooks are specially designed to provide optimum support for high speed data cable, such as: Cat 5e, Cat 6, Cat 6A, Cat 7 and fiber optic.
- Built-in snap-lock latch.
- Wide base 2" plastic saddle provides the optimum bend radius support for high speed data cables.
- Available in 1", 2", 3" & 4".
- Available colors: White, Blue, Red & Black.
- Complies with ANSI®/TIA 568 and ANSI®/TIA 569.
- cULus listed, RoHS & REACH compliant, plenum rated.



Item No.	Size	Description	Color	Box QTY
HPH16ACFM58-25	1"	HPH J-hook with 90° angle clip assembled to JH916-100	White	25pcs
HPH16ACFM58-25R	1"	HPH J-hook with 90° angle clip assembled to JH916-100	Red	25pcs
HPH16ACFM58-25BL	1"	HPH J-hook with 90° angle clip assembled to JH916-100	Blue	25pcs
HPH16ACFM58-25BK	1"	HPH J-hook with 90° angle clip assembled to JH916-100	Black	25pcs
HPH32ACFM58-25	2"	HPH J-hook with 90° angle clip assembled to JH916-100	White	25pcs
HPH32ACFM58-25R	2"	HPH J-hook with 90° angle clip assembled to JH916-100	Red	25pcs
HPH32ACFM58-25BL	2"	HPH J-hook with 90° angle clip assembled to JH916-100	Blue	25pcs
HPH32ACFM58-25BK	2"	HPH J-hook with 90° angle clip assembled to JH916-100	Black	25pcs
HPH48ACFM58-25	3"	HPH J-hook with 90° angle clip assembled to JH916-100	White	25pcs
HPH48ACFM58-25R	3"	HPH J-hook with 90° angle clip assembled to JH916-100	Red	25pcs
HPH48ACFM58-25BL	3"	HPH J-hook with 90° angle clip assembled to JH916-100	Blue	25pcs
HPH48ACFM58-25BK	3"	HPH J-hook with 90° angle clip assembled to JH916-100	Black	25pcs
HPH64ACFM58-25	4"	HPH J-hook with 90° angle clip assembled to JH916-100	White	25pcs
HPH64ACFM58-25R	4"	HPH J-hook with 90° angle clip assembled to JH916-100	Red	25pcs
HPH64ACFM58-25BL	4"	HPH J-hook with 90° angle clip assembled to JH916-100	Blue	25pcs
HPH64ACFM58-25BK	4"	HPH J-hook with 90° angle clip assembled to JH916-100	Black	25pcs



HPH Color Options:



Pressed beam clamp for flanges 1/8" - 1/2" thick

- Easily attaches to flanges 1/8" - 1/2" thick with Phillips/Hex screw.
- HPH J-Hooks are specially designed to provide optimum support for high speed data cable, such as: Cat 5e, Cat 6, Cat 6A, Cat 7 and fiber optic.
- Built-in snap-lock latch.
- Wide base 2" plastic saddle provides the optimum bend radius support for high speed data cables.
- Available in 1", 2", 3" & 4".
- Available colors: White, Blue, Red & Black.
- Complies with ANSI®/TIA 568 and ANSI®/TIA 569.
- cULus listed, RoHS & REACH compliant, plenum rated.



Item No.	Size	Description	Color	Box QTY
HPH16BCF-25	1"	HPH J-Hook assembled to JH965-50	White	25pcs
HPH16BCF-25R	1"	HPH J-Hook assembled to JH965-50	Red	25pcs
HPH16BCF-25BL	1"	HPH J-Hook assembled to JH965-50	Blue	25pcs
HPH16BCF-25BK	1"	HPH J-Hook assembled to JH965-50	Black	25pcs
HPH32BCF-25	2"	HPH J-Hook assembled to JH965-50	White	25pcs
HPH32BCF-25R	2"	HPH J-Hook assembled to JH965-50	Red	25pcs
HPH32BCF-25BL	2"	HPH J-Hook assembled to JH965-50	Blue	25pcs
HPH32BCF-25BK	2"	HPH J-Hook assembled to JH965-50	Black	25pcs
HPH48BCF-25	3"	HPH J-Hook assembled to JH965-50	White	25pcs
HPH48BCF-25R	3"	HPH J-Hook assembled to JH965-50	Red	25pcs
HPH48BCF-25BL	3"	HPH J-Hook assembled to JH965-50	Blue	25pcs
HPH48BCF-25BK	3"	HPH J-Hook assembled to JH965-50	Black	25pcs
HPH64BCF-25	4"	HPH J-Hook assembled to JH965-50	White	25pcs
HPH64BCF-25R	4"	HPH J-Hook assembled to JH965-50	Red	25pcs
HPH64BCF-25BL	4"	HPH J-Hook assembled to JH965-50	Blue	25pcs
HPH64BCF-25BK	4"	HPH J-Hook assembled to JH965-50	Black	25pcs

HPH Color Options:



Pressed beam clamp for flanges 1/8" - 1/2" thick

- Easily attaches to flanges 1/8" - 1/2" thick with Phillips/Hex screw.
- HPH J-Hooks are specially designed to provide optimum support for high speed data cable, such as: Cat 5e, Cat 6, Cat 6A, Cat 7 and fiber optic.
- Built-in snap-lock latch.
- Wide base 2" plastic saddle provides the optimum bend radius support for high speed data cables.
- Available in 1", 2", 3" & 4".
- Available colors: White, Blue, Red & Black.
- Complies with ANSI®/TIA 568 and ANSI®/TIA 569.
- cULus listed, RoHS & REACH compliant, plenum rated.



Item No.	Size	Description	Color	Box QTY
HPH16BC-25	1"	HPH J-hook with 90° angle clip assembled to JH965-50	White	25pcs
HPH16BC-25R	1"	HPH J-hook with 90° angle clip assembled to JH965-50	Red	25pcs
HPH16BC-25BL	1"	HPH J-hook with 90° angle clip assembled to JH965-50	Blue	25pcs
HPH16BC-25BK	1"	HPH J-hook with 90° angle clip assembled to JH965-50	Black	25pcs
HPH32BC-25	2"	HPH J-hook with 90° angle clip assembled to JH965-50	White	25pcs
HPH32BC-25R	2"	HPH J-hook with 90° angle clip assembled to JH965-50	Red	25pcs
HPH32BC-25BL	2"	HPH J-hook with 90° angle clip assembled to JH965-50	Blue	25pcs
HPH32BC-25BK	2"	HPH J-hook with 90° angle clip assembled to JH965-50	Black	25pcs
HPH48BC-25	3"	HPH J-hook with 90° angle clip assembled to JH965-50	White	25pcs
HPH48BC-25R	3"	HPH J-hook with 90° angle clip assembled to JH965-50	Red	25pcs
HPH48BC-25BL	3"	HPH J-hook with 90° angle clip assembled to JH965-50	Blue	25pcs
HPH48BC-25BK	3"	HPH J-hook with 90° angle clip assembled to JH965-50	Black	25pcs
HPH64BC-25	4"	HPH J-hook with 90° angle clip assembled to JH965-50	White	25pcs
HPH64BC-25R	4"	HPH J-hook with 90° angle clip assembled to JH965-50	Red	25pcs
HPH64BC-25BL	4"	HPH J-hook with 90° angle clip assembled to JH965-50	Blue	25pcs
HPH64BC-25BK	4"	HPH J-hook with 90° angle clip assembled to JH965-50	Black	25pcs



HPH Color Options:



Spring Steel beam clamp for flanges 1/8" - 1/2" thick

- Easily attaches to flanges 1/8" - 1/2" thick with Phillips/Hex screw.
- HPH J-Hooks are specially designed to provide optimum support for high speed data cable, such as: Cat 5e, Cat 6, Cat 6A, Cat 7 and fiber optic.
- Built-in snap-lock latch.
- Wide base 2" plastic saddle provides the optimum bend radius support for high speed data cables.
- Available in 1", 2", 3" & 4".
- Available colors: White, Blue, Red & Black.
- Complies with ANSI®/TIA 568 and ANSI®/TIA 569.
- cULus listed, RoHS & REACH compliant, plenum rated.



Item No.	Size	Description	Color	Box QTY
HPH16SSBC-25	1"	HPH J-Hook assembled to JH966-100	White	25pcs
HPH16SSBC-25R	1"	HPH J-Hook assembled to JH966-100	Red	25pcs
HPH16SSBC-25BL	1"	HPH J-Hook assembled to JH966-100	Blue	25pcs
HPH16SSBC-25BK	1"	HPH J-Hook assembled to JH966-100	Black	25pcs
HPH32SSBC-25	2"	HPH J-Hook assembled to JH966-100	White	25pcs
HPH32SSBC-25R	2"	HPH J-Hook assembled to JH966-100	Red	25pcs
HPH32SSBC-25BL	2"	HPH J-Hook assembled to JH966-100	Blue	25pcs
HPH32SSBC-25BK	2"	HPH J-Hook assembled to JH966-100	Black	25pcs
HPH48SSBC-25	3"	HPH J-Hook assembled to JH966-100	White	25pcs
HPH48SSBC-25R	3"	HPH J-Hook assembled to JH966-100	Red	25pcs
HPH48SSBC-25BL	3"	HPH J-Hook assembled to JH966-100	Blue	25pcs
HPH48SSBC-25BK	3"	HPH J-Hook assembled to JH966-100	Black	25pcs
HPH64SSBC-25	4"	HPH J-Hook assembled to JH966-100	White	25pcs
HPH64SSBC-25R	4"	HPH J-Hook assembled to JH966-100	Red	25pcs
HPH64SSBC-25BL	4"	HPH J-Hook assembled to JH966-100	Blue	25pcs
HPH64SSBC-25BK	4"	HPH J-Hook assembled to JH966-100	Black	25pcs

HPH Color Options:



Spring steel beam clamp for flanges 1/8" - 1/2" thick

- Easily attaches to flanges 1/8" - 1/2" thick with Phillips/Hex screw.
- HPH J-Hooks are specially designed to provide optimum support for high speed data cable, such as: Cat 5e, Cat 6, Cat 6A, Cat 7 and fiber optic.
- Built-in snap-lock latch.
- Wide base 2" plastic saddle provides the optimum bend radius support for high speed data cables.
- Available in 1", 2", 3" & 4".
- Available colors: White, Blue, Red & Black.
- Complies with ANSI®/TIA 568 and ANSI®/TIA 569.
- cULus listed, RoHS & REACH compliant, plenum rated.



Item No.	Size	Description	Color	Box QTY
HPH16ACSSBC-25	1"	HPH J-hook with 90° angle clip assembled to JH966-100	White	25pcs
HPH16ACSSBC-25R	1"	HPH J-hook with 90° angle clip assembled to JH966-100	Red	25pcs
HPH16ACSSBC-25BL	1"	HPH J-hook with 90° angle clip assembled to JH966-100	Blue	25pcs
HPH16ACSSBC-25BK	1"	HPH J-hook with 90° angle clip assembled to JH966-100	Black	25pcs
HPH32ACSSBC-25	2"	HPH J-hook with 90° angle clip assembled to JH966-100	White	25pcs
HPH32ACSSBC-25R	2"	HPH J-hook with 90° angle clip assembled to JH966-100	Red	25pcs
HPH32ACSSBC-25BL	2"	HPH J-hook with 90° angle clip assembled to JH966-100	Blue	25pcs
HPH32ACSSBC-25BK	2"	HPH J-hook with 90° angle clip assembled to JH966-100	Black	25pcs
HPH48ACSSBC-25	3"	HPH J-hook with 90° angle clip assembled to JH966-100	White	25pcs
HPH48ACSSBC-25R	3"	HPH J-hook with 90° angle clip assembled to JH966-100	Red	25pcs
HPH48ACSSBC-25BL	3"	HPH J-hook with 90° angle clip assembled to JH966-100	Blue	25pcs
HPH48ACSSBC-25BK	3"	HPH J-hook with 90° angle clip assembled to JH966-100	Black	25pcs
HPH64ACSSBC-25	4"	HPH J-hook with 90° angle clip assembled to JH966-100	White	25pcs
HPH64ACSSBC-25R	4"	HPH J-hook with 90° angle clip assembled to JH966-100	Red	25pcs
HPH64ACSSBC-25BL	4"	HPH J-hook with 90° angle clip assembled to JH966-100	Blue	25pcs
HPH64ACSSBC-25BK	4"	HPH J-hook with 90° angle clip assembled to JH966-100	Black	25pcs



HPH Color Options:



C Purlin verticle joist clip

- Easily attaches to 90° flanges 1/8" - 1/4" thick.
- HPH J-Hooks are specially designed to provide optimum support for high speed data cable, such as: Cat 5e, Cat 6, Cat 6A, Cat 7 and fiber optic.
- Built-in snap-lock latch.
- Wide base 2" plastic saddle provides the optimum bend radius support for high speed data cables.
- Available in 1", 2", 3" & 4".
- Available colors: White, Blue, Red & Black.
- Complies with ANSI®/TIA 568 and ANSI®/TIA 569.
- cULus listed, RoHS & REACH compliant, plenum rated.



Item No.	Size	Description	Color	Box QTY
HPH16VO-25	1"	HPH J-Hook assembled to JH901-100	White	25pcs
HPH16VO-25R	1"	HPH J-Hook assembled to JH901-100	Red	25pcs
HPH16VO-25BL	1"	HPH J-Hook assembled to JH901-100	Blue	25pcs
HPH16VO-25BK	1"	HPH J-Hook assembled to JH901-100	Black	25pcs
HPH32VO-25	2"	HPH J-Hook assembled to JH901-100	White	25pcs
HPH32VO-25R	2"	HPH J-Hook assembled to JH901-100	Red	25pcs
HPH32VO-25BL	2"	HPH J-Hook assembled to JH901-100	Blue	25pcs
HPH32VO-25BK	2"	HPH J-Hook assembled to JH901-100	Black	25pcs
HPH48VO-25	3"	HPH J-Hook assembled to JH901-100	White	25pcs
HPH48VO-25R	3"	HPH J-Hook assembled to JH901-100	Red	25pcs
HPH48VO-25BL	3"	HPH J-Hook assembled to JH901-100	Blue	25pcs
HPH48VO-25BK	3"	HPH J-Hook assembled to JH901-100	Black	25pcs
HPH64VO-25	4"	HPH J-Hook assembled to JH901-100	White	25pcs
HPH64VO-25R	4"	HPH J-Hook assembled to JH901-100	Red	25pcs
HPH64VO-25BL	4"	HPH J-Hook assembled to JH901-100	Blue	25pcs
HPH64VO-25BK	4"	HPH J-Hook assembled to JH901-100	Black	25pcs



HPH Color Options:



Z Purlin 45° joist clip

- Easily attaches to 45° flanges 1/8" - 1/4" thick.
- HPH J-Hooks are specially designed to provide optimum support for high speed data cable, such as: Cat 5e, Cat 6, Cat 6A, Cat 7 and fiber optic.
- Built-in snap-lock latch.
- Wide base 2" plastic saddle provides the optimum bend radius support for high speed data cables.
- Available in 1", 2", 3" & 4".
- Available colors: White, Blue, Red & Black.
- Complies with ANSI®/TIA 568 and ANSI®/TIA 569.
- cULus listed, RoHS & REACH compliant, plenum rated.



Item No.	Size	Description	Color	Box QTY
HPH16AO-25	1"	HPH J-Hook assembled to JH902-100	White	25pcs
HPH16AO-25R	1"	HPH J-Hook assembled to JH902-100	Red	25pcs
HPH16AO-25BL	1"	HPH J-Hook assembled to JH902-100	Blue	25pcs
HPH16AO-25BK	1"	HPH J-Hook assembled to JH902-100	Black	25pcs
HPH32AO-25	2"	HPH J-Hook assembled to JH902-100	White	25pcs
HPH32AO-25R	2"	HPH J-Hook assembled to JH902-100	Red	25pcs
HPH32AO-25BL	2"	HPH J-Hook assembled to JH902-100	Blue	25pcs
HPH32AO-25BK	2"	HPH J-Hook assembled to JH902-100	Black	25pcs
HPH48AO-25	3"	HPH J-Hook assembled to JH902-100	White	25pcs
HPH48AO-25R	3"	HPH J-Hook assembled to JH902-100	Red	25pcs
HPH48AO-25BL	3"	HPH J-Hook assembled to JH902-100	Blue	25pcs
HPH48AO-25BK	3"	HPH J-Hook assembled to JH902-100	Black	25pcs
HPH64AO-25	4"	HPH J-Hook assembled to JH902-100	White	25pcs
HPH64AO-25R	4"	HPH J-Hook assembled to JH902-100	Red	25pcs
HPH64AO-25BL	4"	HPH J-Hook assembled to JH902-100	Blue	25pcs
HPH64AO-25BK	4"	HPH J-Hook assembled to JH902-100	Black	25pcs



HPH Color Options:



1/4" female threaded eye coupling

- Easily attaches to 1/4" threaded rod or any male 1/4"-20 machine thread.
- HPH J-Hooks are specially designed to provide optimum support for high speed data cable, such as: Cat 5e, Cat 6, Cat 6A, Cat 7 and fiber optic.
- Built-in snap-lock latch.
- Wide base 2" plastic saddle provides the optimum bend radius support for high speed data cables.
- Available in 1", 2", 3" & 4".
- Available colors: White, Blue, Red & Black.
- Complies with ANSI®/TIA 568 and ANSI®/TIA 569.
- RoHS & REACH compliant, plenum rated.



Item No.	Size	Description	Thread Size	Color	Box QTY
HPH16EH-25	1"	HPH J-Hook assembled to female 1/4-20" eye coupling	1/4"	White	25pcs
HPH16EH-25R	1"	HPH J-Hook assembled to female 1/4-20" eye coupling	1/4"	Red	25pcs
HPH16EH-25BL	1"	HPH J-Hook assembled to female 1/4-20" eye coupling	1/4"	Blue	25pcs
HPH16EH-25BK	1"	HPH J-Hook assembled to female 1/4-20" eye coupling	1/4"	Black	25pcs
HPH32EH-25	2"	HPH J-Hook assembled to female 1/4-20" eye coupling	1/4"	White	25pcs
HPH32EH-25R	2"	HPH J-Hook assembled to female 1/4-20" eye coupling	1/4"	Red	25pcs
HPH32EH-25BL	2"	HPH J-Hook assembled to female 1/4-20" eye coupling	1/4"	Blue	25pcs
HPH32EH-25BK	2"	HPH J-Hook assembled to female 1/4-20" eye coupling	1/4"	Black	25pcs
HPH48EH-25	3"	HPH J-Hook assembled to female 1/4-20" eye coupling	1/4"	White	25pcs
HPH48EH-25R	3"	HPH J-Hook assembled to female 1/4-20" eye coupling	1/4"	Red	25pcs
HPH48EH-25BL	3"	HPH J-Hook assembled to female 1/4-20" eye coupling	1/4"	Blue	25pcs
HPH48EH-25BK	3"	HPH J-Hook assembled to female 1/4-20" eye coupling	1/4"	Black	25pcs
HPH64EH-25	4"	HPH J-Hook assembled to female 1/4-20" eye coupling	1/4"	White	25pcs
HPH64EH-25R	4"	HPH J-Hook assembled to female 1/4-20" eye coupling	1/4"	Red	25pcs
HPH64EH-25BL	4"	HPH J-Hook assembled to female 1/4-20" eye coupling	1/4"	Blue	25pcs
HPH64EH-25BK	4"	HPH J-Hook assembled to female 1/4-20" eye coupling	1/4"	Black	25pcs

HPH Color Options:



3/8" female threaded eye coupling

- Easily attaches to 3/8" threaded rod or any male 3/8"-16 machine thread.
- HPH J-Hooks are specially designed to provide optimum support for high speed data cable, such as: Cat 5e, Cat 6, Cat 6A, Cat 7 and fiber optic.
- Built-in snap-lock latch.
- Wide base 2" plastic saddle provides the optimum bend radius support for high speed data cables.
- Available in 1", 2", 3" & 4".
- Available colors: White, Blue, Red & Black..
- Complies with ANSI®/TIA 568 and ANSI®/TIA 569.
- RoHS & REACH compliant, plenum rated.



Item No.	Size	Description	Thread Size	Color	Box QTY
HPH16EH38-25	1"	HPH J-Hook assembled to female 3/8-16" eye coupling	3/8"	White	25pcs
HPH16EH38-25R	1"	HPH J-Hook assembled to female 3/8-16" eye coupling	3/8"	Red	25pcs
HPH16EH38-25BL	1"	HPH J-Hook assembled to female 3/8-16" eye coupling	3/8"	Blue	25pcs
HPH16EH38-25BK	1"	HPH J-Hook assembled to female 3/8-16" eye coupling	3/8"	Black	25pcs
HPH32EH38-25	2"	HPH J-Hook assembled to female 3/8-16" eye coupling	3/8"	White	25pcs
HPH32EH38-25R	2"	HPH J-Hook assembled to female 3/8-16" eye coupling	3/8"	Red	25pcs
HPH32EH38-25BL	2"	HPH J-Hook assembled to female 3/8-16" eye coupling	3/8"	Blue	25pcs
HPH32EH38-25BK	2"	HPH J-Hook assembled to female 3/8-16" eye coupling	3/8"	Black	25pcs
HPH48EH38-25	3"	HPH J-Hook assembled to female 3/8-16" eye coupling	3/8"	White	25pcs
HPH48EH38-25R	3"	HPH J-Hook assembled to female 3/8-16" eye coupling	3/8"	Red	25pcs
HPH48EH38-25BL	3"	HPH J-Hook assembled to female 3/8-16" eye coupling	3/8"	Blue	25pcs
HPH48EH38-25BK	3"	HPH J-Hook assembled to female 3/8-16" eye coupling	3/8"	Black	25pcs
HPH64EH38-25	4"	HPH J-Hook assembled to female 3/8-16" eye coupling	3/8"	White	25pcs
HPH64EH38-25R	4"	HPH J-Hook assembled to female 3/8-16" eye coupling	3/8"	Red	25pcs
HPH64EH38-25BL	4"	HPH J-Hook assembled to female 3/8-16" eye coupling	3/8"	Blue	25pcs
HPH64EH38-25BK	4"	HPH J-Hook assembled to female 3/8-16" eye coupling	3/8"	Black	25pcs



HPH Color Options:



Side Mount Magnet for wall mount

- Easily attaches to metallic surfaces, no tools required!
- HPH J-Hooks are specially designed to provide optimum support for high speed data cable, such as: Cat 5e, Cat 6, Cat 6A, Cat 7 and fiber optic.
- Built-in snap-lock latch.
- Wide base 2" plastic saddle provides the optimum bend radius support for high speed data cables.
- Available in 1" & 2".
- Available colors: White, Blue, Red & Black.
- Complies with ANSI®/TIA 568 and ANSI®/TIA 569.
- RoHS compliant & plenum rated HPH J-Hook.



Item No.	Size	Description	Color	Box QTY
HPH16MH-10	1"	HPH J-Hook assembled to side mount MAG420 pot magnet	White	10pcs
HPH16MH-10R	1"	HPH J-Hook assembled to side mount MAG420 pot magnet	Red	10pcs
HPH16MH-10BL	1"	HPH J-Hook assembled to side mount MAG420 pot magnet	Blue	10pcs
HPH16MH-10BK	1"	HPH J-Hook assembled to side mount MAG420 pot magnet	Black	10pcs
HPH32MH-10	2"	HPH J-Hook assembled to side mount MAG420 pot magnet	White	10pcs
HPH32MH-10R	2"	HPH J-Hook assembled to side mount MAG420 pot magnet	Red	10pcs
HPH32MH-10BL	2"	HPH J-Hook assembled to side mount MAG420 pot magnet	Blue	10pcs
HPH32MH-10BK	2"	HPH J-Hook assembled to side mount MAG420 pot magnet	Black	10pcs

 **WARNING:**
 Before using a magnet, please refer to the warnings at:
https://www.platinumtools.com/sections/magnet_warnings/
 or by scanning the QR code here:




HPH Color Options:



Top Mount Magnets

- Easily attaches to metallic surfaces, no tools required!
- HPH J-Hooks are specially designed to provide optimum support for high speed data cable, such as: Cat 5e, Cat 6, Cat 6A, Cat 7 and fiber optic.
- Built-in snap-lock latch.
- Wide base 2" plastic saddle provides the optimum bend radius support for high speed data cables.
- Available in 1" & 2"
- Available colors: White, Blue, Red & Black.
- Complies with ANSI®/TIA 568 and ANSI®/TIA 569.
- RoHS compliant & plenum rated HPH J-Hook.



Item No.	Size	Description	Color	Box QTY
HPH16MV-10	1"	HPH J-Hook assembled to top mount MAG420 pot magnet	White	10pcs
HPH16MV-10R	1"	HPH J-Hook assembled to top mount MAG420 pot magnet	Red	10pcs
HPH16MV-10BL	1"	HPH J-Hook assembled to top mount MAG420 pot magnet	Blue	10pcs
HPH16MV-10BK	1"	HPH J-Hook assembled to top mount MAG420 pot magnet	Black	10pcs
HPH32MV-10	2"	HPH J-Hook assembled to top mount MAG420 pot magnet	White	10pcs
HPH32MV-10R	2"	HPH J-Hook assembled to top mount MAG420 pot magnet	Red	10pcs
HPH32MV-10BL	2"	HPH J-Hook assembled to top mount MAG420 pot magnet	Blue	10pcs
HPH32MV-10BK	2"	HPH J-Hook assembled to top mount MAG420 pot magnet	Black	10pcs

WARNING:

Before using a magnet, please refer to the warnings at:

https://www.platinumtools.com/sections/magnet_warnings/

or by scanning the QR code here:



HPH Color Options:



Xtender Pole™

TELESCOPING POLE TOOL

Xtender Pole™ is the ultimate all-in-one extension pole tool. It comes ready to perform various jobs right out of the box including:

- Hanging eye lag screws with jack chain, ceiling wire or aircraft cable
- Installing SAMMY screws pre-assembled up to 3/8" threaded rod
- Driving standard hex or mod screws using the included JH701 1/4" hex adapter plug
- Install pre-tied purlin joist clips from the ground using the JH975 (sold separately)
- Installing HangerMate®/Elco® screws pre-assembled up to 3/8" threaded rod

Product Code	Collapsed Length	Extended Length	Stages	Shipping Weight
JH712	4' 6"	10' 9"	3	6
JH718	7' 5"	17'	3	7



youtube.com/watch?v=TS2MUUSFNQY

INCLUDED PARTS

Fig. No.	Item No.	Description
1.	JH708	Xtender Pole™ wire head with set-screw ring for installing ceiling wire, jack chain or aircraft cable with eye lag screws
2.	JH709	Xtender Pole™ female receiver base for ALL plug-in heads including: JH708, JH701, JH702, JH703, JH705, JH711
3.	JH701	Xtender Pole™ 1/4" hex female receiver, fits most 1/4" drivers such as screw or nut drivers
4.	JH703	Xtender Pole™ replacement driver on the bottom of the pole for: JH712 & JH718
5.	JH707	Xtender Pole™ 5/8" open-ended hex for installing SAMMY® screws pre-assembled up to 3/8" threaded rod



PARTS SOLD SEPARATELY

Fig. No.	Item No.	Description
1.	JH702	Xtender Pole™ 3/8" open-ended hex for installing HangerMate®/Elco® screws pre-assembled up to 3/8" threaded rod
2.	JH705	Xtender Pole™ 1/2" national pipe thread adapter for use with JH975 purlin installation tool
3.	JH711	Xtender Pole™ 3/8" (0.003" - 0.39") keyless chuck
4.	JH975	Xtender Pole™ C & Z purlin installation tool - For installing pre-tied JH901-100 & JH902-100 joist clips *Requires JH705 1/2" thread adapter*



HPH J-Hooks & Bridle Rings with Rare-Earth Magnets



TOP MOUNT




SIDE MOUNT

Today, organizing and managing low voltage cables being used in non-permanent applications is easy, safe and quick to install. What is the secret? These **Rare Earth Magnets** integrated with both the **HPH J-Hooks** and **Bridle Rings**. A great solution for those low voltage temporary installations.

Features and Benefits

- Fast Installation Saves Time and Money
- Removable and Reusable
- Easy to Install, No Drilling Required
- Simple to Re-route
- Available in Top Mount (V), and Side Mount (H)
- Support Category Cables: Cat5e/6/6a/7 and Coaxial Cables: CCTV, CATV



Product Specifications

Rare Earth Magnets

- Nominal Breakaway Strength: 90 lbs (Top Mount Only)
Magnet breakaway strength is very dependent on the surface to which magnet is attached. Always pull test for strength.



BRIDLE RINGS

HPH J-HOOKS

Top Mount



Side Mount



BRIDLE RINGS

Ordering Information:



HPH J-Hooks with Magnets

Size	CABLE CAPACITY			Color	SIDE MOUNT	TOP MOUNT	Qty
	Cat5e	Cat6	Cat6A		Part No.	Part No.	
1" Size 16	20	20	10	White	HPH16MH-10	HPH16MV-10	10 / Box
				Blue	HPH16MH-10BL	HPH16MV-10BL	
				Black	HPH16MH-10BK	HPH16MV-10BK	
				Red	HPH16MH-10R	HPH16MV-10R	
2" Size 32	90	60	35	White	HPH32MH-10	HPH32MV-10	10 / Box
				Blue	HPH32MH-10BL	HPH32MV-10BL	
				Black	HPH32MH-10BK	HPH32MV-10BK	
				Red	HPH32MH-10R	HPH32MV-10R	

Magnet breakaway strength is very dependent on the surface to which magnet is attached. Always pull test for strength.

Bridle Rings with Magnets

	Part No.	Qty
Bridle Ring, 1-1/4", with top mount magnet	JH807M-10	10 / Box
Bridle Ring, 2", with top mount magnet	JH808M-10	10 / Box



Magnets

	Part No.	Qty
Rare Earth Magnet in housing with 1/4" - 20 female threads	MAG420-10	10 / Box



WARNINGS READ BEFORE USE:

Rare earth magnets are extremely strong and potentially dangerous. View warnings at platinumtools.com/sections/magnet_warnings or scan the code.





Get started today!



Cable Management displays available