

PLATINUM TOOLS®



JH J-Hooks

Product Catalog



PLENUM
RATED



USD1033199S1



Eco-Friendly



800-749-5783

www.platinumtools.com

info@platinumtools.com

PLENUM
RATED



UNITED STATES
PATENT NO.
PATENTED
USD1033199S1


JH J-Hook

Wall Mount

- JH J-Hooks are specially designed to provide optimum support for high-speed data cable, such as: Cat 5e, Cat 6, Cat 6A, Cat 7 and fiber optic.
- All steel construction with high quality yellow zinc plating.
- Snap-in plenum rated retainer straps included with models: JH21, JH32 & JH64.
- Model JH12 features built-in retainer.
- Wide base support provides optimum TIA compliant bend radius for high-speed data cables.
- Available in 3/4" (JH12), 1-5/16" (JH21), 2" (JH32) & 4" (JH64).
- Complies with TIA 568-C and TIA 569-C.
- cULus listed, plenum rated, patented.

Patented Plenum rated snap-in
retainer strap included
with 1-5/16", 2" & 4" J-hooks

Built-in retainer
featured on JH12 (3/4") J-hooks.



Item No.	Size	Description	Hole Size	Box QTY
JH12-25	3/4"	J-hook with built-in retainer assembled to 90° angle clip	1/4"	25 pcs
JH12-100	3/4"	J-hook with built-in retainer assembled to 90° angle clip	1/4"	100 pcs
JH21-25	1-5/16"	J-hook assembled to 90° angle clip – Retainer straps included	1/4"	25 pcs
JH21-100	1-5/16"	J-hook assembled to 90° angle clip – Retainer straps included	1/4"	100 pcs
JH32-25	2"	J-hook assembled to 90° angle clip – Retainer straps included	1/4"	25 pcs
JH32-100	2"	J-hook assembled to 90° angle clip – Retainer straps included	1/4"	100 pcs
JH64-25	4"	J-hook assembled to 90° angle clip – Retainer straps included	1/4"	25 pcs



90° Angle Clip with 1/4" Hole

- Attaches to 1/4" threaded rod or directly to ceiling with fastener.
- JH J-Hooks are specially designed to provide optimum support for high-speed data cable, such as: Cat 5e, Cat 6, Cat 6A, Cat 7 and fiber optic.
- All steel construction with high quality yellow zinc plating.
- Snap-in plenum rated retainer straps included with models: JH21, JH32 & JH64.
- Wide base support provides optimum TIA compliant bend radius for high-speed data cables.
- Available in 3/4" (JH12), 1-5/16" (JH21), 2" (JH32) & 4" (JH64).
- Complies with TIA 568-C and TIA 569-C.
- cULus listed, plenum rated, patented.



Item No.	Size	Description	Hole Size	Box QTY
JH12AC-25	3/4"	J-hook with built-in retainer assembled to 90° angle clip	1/4"	25 pcs
JH12AC-100	3/4"	J-hook with built-in retainer assembled to 90° angle clip	1/4"	100 pcs
JH21AC-25	1-5/16"	J-hook assembled to 90° angle clip – Retainer straps included	1/4"	25 pcs
JH21AC-100	1-5/16"	J-hook assembled to 90° angle clip – Retainer straps included	1/4"	100 pcs
JH32AC-25	2"	J-hook assembled to 90° angle clip – Retainer straps included	1/4"	25 pcs
JH32AC-100	2"	J-hook assembled to 90° angle clip – Retainer straps included	1/4"	100 pcs
JH64AC-25	4"	J-hook assembled to 90° angle clip – Retainer straps included	1/4"	25 pcs



90° Angle Clip with 3/8" Hole

- Attaches to 3/8" threaded rod or directly to ceiling with fastener.
- JH J-Hooks are specially designed to provide optimum support for high-speed data cable, such as: Cat 5e, Cat 6, Cat 6A, Cat 7 and fiber optic.
- All steel construction with high quality yellow zinc plating.
- Snap-in plenum rated retainer straps included with models: JH21, JH32 & JH64.
- Wide base support provides optimum TIA compliant bend radius for high-speed data cables.
- Available in 3/4" (JH12), 1-5/16" (JH21), 2" (JH32) & 4" (JH64).
- Complies with TIA 568-C and TIA 569-C.
- cULus listed, plenum rated, patented.



Item No.	Size	Description	Hole Size	Box QTY
JH12AC6-100	3/4"	J-hook with built-in retainer assembled to 90° angle clip	3/8"	100 pcs
JH21AC6-100	1-5/16"	J-hook assembled to 90° angle clip – Retainer straps included	3/8"	100 pcs
JH32AC6-100	2"	J-hook assembled to 90° angle clip – Retainer straps included	3/8"	100 pcs
JH64AC6-25	4"	J-hook assembled to 90° angle clip – Retainer straps included	3/8"	25 pcs



PLENUM
RATED



UNITED STATES
PATENT NO.
PATENTED
USD1033199S1

JHACPA

90° Angle Clip w/ 1-1/16" x 0.157" Pin for Concrete

- Installs into concrete substrates with use of powder actuated tool.
- JH J-Hooks are specially designed to provide optimum support for high-speed data cable, such as: Cat 5e, Cat 6, Cat 6A, Cat 7 and fiber optic.
- All steel construction with high quality yellow zinc plating.
- Snap-in plenum rated retainer straps included with models: JH21, JH32 & JH64.
- Wide base support provides optimum TIA compliant bend radius for high-speed data cables.
- Available in 3/4" (JH12), 1-5/16" (JH21), 2" (JH32) & 4" (JH64).
- Complies with TIA 568-C and TIA 569-C.
- cULus listed, plenum rated, patented.



Item No.	Size	Description	Box QTY
JH12ACPA-100	3/4"	J-hook with built-in retainer assembled to 90° angle clip & pin	100 pcs
JH21ACPA-100	1-5/16"	J-hook assembled to 90° angle clip & pin – Retainer straps included	100 pcs
JH32ACPA-100	2"	J-hook assembled to 90° angle clip & pin – Retainer straps included	100 pcs
JH64ACPA-25	4"	J-hook assembled to 90° angle clip & pin – Retainer straps included	25 pcs



Batwing Clip for Threaded Rod or Ceiling Wire

- Attaches to 1/4" threaded rod or 8 to 12 gauge drop ceiling wire.
- JH J-Hooks are specially designed to provide optimum support for high-speed data cable, such as: Cat 5e, Cat 6, Cat 6A, Cat 7 and fiber optic.
- All steel construction with high quality yellow zinc plating.
- Snap-in plenum rated retainer straps included with models: JH21, JH32 & JH64
- Wide base support provides optimum TIA compliant bend radius for high-speed data cables.
- Available in 3/4" (JH12), 1-5/16" (JH21), 2" (JH32) & 4" (JH64).
- Complies with TIA 568-C and TIA 569-C.
- cULus listed, plenum rated, patented.



Item No.	Size	Description	Box QTY
JH12W-25	3/4"	J-Hook with built-in retainer assembled to JH960-100 batwing clip	25 pcs
JH12W-100	3/4"	J-Hook with built-in retainer assembled to JH960-100 batwing clip	100 pcs
JH21W-25	1-5/16"	J-Hook assembled to JH960-100 batwing clip - Retainer straps included	25 pcs
JH21W-100	1-5/16"	J-Hook assembled to JH960-100 batwing clip - Retainer straps included	100 pcs
JH32W-25	2"	J-Hook assembled to JH960-100 batwing clip - Retainer straps included	25 pcs
JH32W-100	2"	J-Hook assembled to JH960-100 batwing clip - Retainer straps included	100 pcs
JH64W-25	4"	J-Hook assembled to JH960-100 batwing clip - Retainer straps included	25 pcs



Hammer-on Beam Clamp for Flanges 1/8" - 1/4" Thick

- Attaches to flanges 1/8" - 1/4" thick.
- Easy "Hammer-on" installation.
- JH J-Hooks are specially designed to provide optimum support for high-speed data cable, such as: Cat 5e, Cat 6, Cat 6A, Cat 7 and fiber optic.
- All steel construction with high quality yellow zinc plating.
- Snap-in plenum rated retainer straps included with models: JH21, JH32 & JH64.
- Wide base support provides optimum TIA compliant bend radius for high-speed data cables.
- Available in 3/4" (JH12), 1-5/16" (JH21), 2" (JH32) & 4" (JH64).
- Complies with TIA 568-C and TIA 569-C.
- cULus listed, plenum rated, patented.



Item No.	Size	Description	Box QTY
JH12HOK24-100	3/4"	J-hook with built-in retainer assembled to JH910-100	100 pcs
JH21HOK24-100	1-5/16"	J-hook assembled to JH910-100 - Retainer straps included	100 pcs
JH32HOK24-100	2"	J-hook assembled to JH910-100 - Retainer straps included	100 pcs
JH64HOK24-25	4"	J-hook assembled to JH910-100 - Retainer straps included	25 pcs



Hammer-on Beam Clamp for Flanges 5/16" - 1/2" Thick

- Attaches to flanges 5/16" - 1/2" thick.
- Easy "Hammer-on" installation.
- JH J-Hooks are specially designed to provide optimum support for high-speed data cable, such as: Cat 5e, Cat 6, Cat 6A, Cat 7 and fiber optic.
- All steel construction with high quality yellow zinc plating.
- Snap-in plenum rated retainer straps included with models: JH21, JH32 & JH64.
- Wide base support provides optimum TIA compliant bend radius for high-speed data cables.
- Available in 3/4" (JH12), 1-5/16" (JH21), 2" (JH32) & 4" (JH64).
- Complies with TIA 568-C and TIA 569-C.
- cULus listed, plenum rated, patented.



Item No.	Size	Description	Box QTY
JH12HOK58-100	3/4"	J-hook with built-in retainer assembled to JH911-100	100 pcs
JH21HOK58-100	1-5/16"	J-hook assembled to JH911-100 - Retainer straps included	100 pcs
JH32HOK58-100	2"	J-hook assembled to JH911-100 - Retainer straps included	100 pcs
JH64HOK58-25	4"	J-hook assembled to JH911-100 - Retainer straps included	25 pcs





PLENUM
RATED



JHACFM24

Hammer-on Beam Clamp for Flanges 1/8" - 1/4" Thick

- Attaches to flanges 1/8" - 1/4" thick.
- Easy "Hammer-on" installation.
- JH J-Hooks are specially designed to provide optimum support for high-speed data cable, such as: Cat 5e, Cat 6, Cat 6A, Cat 7 and fiber optic.
- All steel construction with high quality yellow zinc plating.
- Snap-in plenum rated retainer straps included with models: JH21, JH32 & JH64.
- Wide base support provides optimum TIA compliant bend radius for high-speed data cables.
- Available in 3/4" (JH12), 1-5/16" (JH21), 2" (JH32) & 4" (JH64).
- Complies with TIA 568-C and TIA 569-C.
- cULus listed, plenum rated, patented.



Item No.	Size	Description	Box QTY
JH12ACFM24-100	3/4"	J-hook with built-in retainer assembled to 90° angle clip & JH915-100	100 pcs
JH21ACFM24-100	1-5/16"	J-hook assembled to 90° angle clip & JH915-100 - Retainer straps included	100 pcs
JH32ACFM24-100	2"	J-hook assembled to 90° angle clip & JH915-100 - Retainer straps included	100 pcs
JH64ACFM24-25	4"	J-hook assembled to 90° angle clip & JH915-100 - Retainer straps included	25 pcs



PLENUM
RATED



UNITED STATES
PATENT NO.
PATENTED
USD1033199B1

JHACFM58

Hammer-on Beam Clamp for Flanges 5/16" - 1/2" Thick

- Attaches to flanges 5/16" - 1/2" thick.
- Easy "Hammer-on" installation.
- JH J-Hooks are specially designed to provide optimum support for high-speed data cable, such as: Cat 5e, Cat 6, Cat 6A, Cat 7 and fiber optic.
- All steel construction with high quality yellow zinc plating.
- Snap-in plenum rated retainer straps included with models: JH21, JH32 & JH64.
- Wide base support provides optimum TIA compliant bend radius for high-speed data cables..
- Available in 3/4" (JH12), 1-5/16" (JH21), 2" (JH32) & 4" (JH64).
- Complies with TIA 568-C and TIA 569-C.
- cULus listed, plenum rated, patented.



Item No.	Size	Description	Box QTY
JH12ACFM58-100	3/4"	J-hook with built-in retainer assembled to 90° angle clip & JH916-100	100 pcs
JH21ACFM58-100	1-5/16"	J-hook assembled to 90° angle clip & JH916-100 - Retainer straps included	100 pcs
JH32ACFM58-100	2"	J-hook assembled to 90° angle clip & JH916-100 - Retainer straps included	100 pcs
JH64ACFM58-25	4"	J-hook assembled to 90° angle clip & JH916-100 - Retainer straps included	25 pcs



Pressed Beam Clamp for Flanges 1/8" - 1/2" Thick

- Attaches to flanges 1/8" - 1/2" thick with Phillips/Hex screw.
- JH J-Hooks are specially designed to provide optimum support for high-speed data cable, such as: Cat 5e, Cat 6, Cat 6A, Cat 7 and fiber optic.
- All steel construction with high quality yellow zinc plating.
- Snap-in plenum rated retainer straps included with models: JH21, JH32 & JH64.
- Wide base support provides optimum TIA compliant bend radius for high-speed data cables.
- Available in 3/4" (JH12), 1-5/16" (JH21), 2" (JH32) & 4" (JH64).
- Complies with TIA 568-C and TIA 569-C.
- cULus listed, plenum rated, patented.




Item No.	Size	Description	Box QTY
JH12BCF-100	3/4"	J-hook with built-in retainer assembled to JH965-50	100 pcs
JH21BCF-100	1-5/16"	J-hook assembled to JH965-50 - Retainer straps included	100 pcs
JH32BCF-100	2"	J-hook assembled to JH965-50 - Retainer straps included	100 pcs
JH64BCF-25	4"	J-hook assembled to JH965-50 - Retainer straps included	25 pcs



Pressed Beam Clamp for Flanges 1/8" - 1/2" Thick

- Attaches to flanges 1/8" - 1/2" thick with Phillips/Hex screw.
- JH J-Hooks are specially designed to provide optimum support for high-speed data cable, such as: Cat 5e, Cat 6, Cat 6A, Cat 7 and fiber optic.
- All steel construction with high quality yellow zinc plating.
- Snap-in plenum rated retainer straps included with models: JH21, JH32 & JH64.
- Wide base support provides optimum TIA compliant bend radius for high-speed data cables.
- Available in 3/4" (JH12), 1-5/16" (JH21), 2" (JH32) & 4" (JH64).
- Complies with TIA 568-C and TIA 569-C.
- cULus listed, plenum rated, patented.



Item No.	Size	Description	Box QTY
JH12BC-100	3/4"	J-hook with built-in retainer assembled to 90° angle clip & JH965-50	100 pcs
JH21BC-100	1-5/16"	J-hook assembled to 90° angle clip & JH965-50 - Retainer straps included	100 pcs
JH32BC-100	2"	J-hook assembled to 90° angle clip & JH965-50 - Retainer straps included	100 pcs
JH64BC-25	4"	J-hook assembled to 90° angle clip & JH965-50 - Retainer straps included	25 pcs




Spring Steel Beam Clamp for Flanges 1/8" - 1/2" Thick

- Attaches to flanges 1/8" - 1/2" thick with Phillips/Hex screw.
- JH J-Hooks are specially designed to provide optimum support for high-speed data cable, such as: Cat 5e, Cat 6, Cat 6A, Cat 7 and fiber optic.
- All steel construction with high quality yellow zinc plating.
- Snap-in plenum rated retainer straps included with models: JH21, JH32 & JH64.
- Wide base support provides optimum TIA compliant bend radius for high-speed data cables.
- Available in 3/4" (JH12), 1-5/16" (JH21), 2" (JH32) & 4" (JH64).
- Complies with TIA 568-C and TIA 569-C.
- cULus listed, plenum rated, patented.




Item No.	Size	Description	Box QTY
JH12SSBC-100	3/4"	J-hook with built-in retainer assembled to JH966-100	100 pcs
JH21SSBC-100	1-5/16"	J-hook assembled to JH966-100 - Retainer straps included	100 pcs
JH32SSBC-100	2"	J-hook assembled to JH966-100 - Retainer straps included	100 pcs
JH64SSBC-25	4"	J-hook assembled to JH966-100 - Retainer straps included	25 pcs



Spring Steel Beam Clamp for Flanges 1/8" - 1/2" Thick

- Attaches to flanges 1/8" - 1/2" thick with Phillips/Hex screw.
- JH J-Hooks are specially designed to provide optimum support for high-speed data cable, such as: Cat 5e, Cat 6, Cat 6A, Cat 7 and fiber optic.
- All steel construction with high quality yellow zinc plating.
- Snap-in plenum rated retainer straps included with models: JH21, JH32 & JH64.
- Wide base support provides optimum TIA compliant bend radius for high-speed data cables.
- Available in 3/4" (JH12), 1-5/16" (JH21), 2" (JH32) & 4" (JH64).
- Complies with TIA 568-C and TIA 569-C.
- cULus listed, plenum rated, patented.



Item No.	Size	Description	Box QTY
JH12ACSSBC-100	3/4"	J-hook with built-in retainer assembled to 90° angle clip & JH966-100	100 pcs
JH21ACSSBC-100	1-5/16"	J-hook assembled to 90° angle clip & JH966-100 - Retainer straps included	100 pcs
JH32ACSSBC-100	2"	J-hook assembled to 90° angle clip & JH966-100 - Retainer straps included	100 pcs
JH64ACSSBC-25	4"	J-hook assembled to 90° angle clip & JH966-100 - Retainer straps included	25 pcs



C Purlin Vertical Joist Clip

- Attaches to 90° flanges 1/8" - 1/4" thick.
- JH J-Hooks are specially designed to provide optimum support for high-speed data cable, such as: Cat 5e, Cat 6, Cat 6A, Cat 7 and fiber optic.
- All steel construction with high quality yellow zinc plating.
- Snap-in plenum rated retainer straps included with models: JH21, JH32 & JH64.
- Wide base support provides optimum TIA compliant bend radius for high-speed data cables.
- Available in 3/4" (JH12), 1-5/16" (JH21), 2" (JH32) & 4" (JH64).
- Complies with TIA 568-C and TIA 569-C.
- cULus listed, plenum rated, patented.



Item No.	Size	Description	Box QTY
JH12VO-100	3/4"	J-hook with built-in retainer assembled to JH901-100	100 pcs
JH21VO-100	1-5/16"	J-hook assembled to JH901-100 - Retainer straps included	100 pcs
JH32VO-100	2"	J-hook assembled to JH901-100 - Retainer straps included	100 pcs
JH64VO-25	4"	J-hook assembled to JH901-100 - Retainer straps included	25 pcs



2 Purlin 45° Joist Clip

- Attaches to 45° flanges 1/8" - 1/4" thick.
- JH J-Hooks are specially designed to provide optimum support for high-speed data cable, such as: Cat 5e, Cat 6, Cat 6A, Cat 7 and fiber optic.
- All steel construction with high quality yellow zinc plating.
- Snap-in plenum rated retainer straps included with models: JH21, JH32 & JH64.
- Wide base support provides optimum TIA compliant bend radius for high-speed data cables.
- Available in 3/4" (JH12), 1-5/16" (JH21), 2" (JH32) & 4" (JH64).
- Complies with TIA 568-C and TIA 569-C.
- cULus listed, plenum rated, patented.



Item No.	Size	Description	Box QTY
JH12AO-100	3/4"	J-hook with built-in retainer assembled to JH902-100	100 pcs
JH21AO-100	1-5/16"	J-hook assembled to JH902-100 - Retainer straps included	100 pcs
JH32AO-100	2"	J-hook assembled to JH902-100 - Retainer straps included	100 pcs
JH64AO-100	4"	J-hook assembled to JH902-100 - Retainer straps included	25 pcs

